



## SAFETY DATA SHEET

### EUCALYPTUS OIL

---

#### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

---

PRODUCT NAME: EUCALYPTUS OIL

PRODUCT NO: RM102

SUPPLIER: J M Loveridge Ltd  
 Unit 5, Kingsway  
 Walworth Industrial Estate, Andover  
 Hampshire, SP10 5LQ  
 +44 (0) 1264 367610  
 +44 (0) 1264 351761  
 Mr. S Knight – admin@jmloveridge.com

EMERGENCY CONTACT NUMBER:

---

#### HAZARDS IDENTIFICATION

---

Classification of the substance or mixture

*Regulation (EC) No 1272/2008*

Aspiration toxicity	Category 1 – (H304)
Skin corrosion/irritation	Category 2 – (H315)
Skin sensitisation	Category 1 – (H317)
Chronic aquatic toxicity	Category 2 – (H411)
Flammable liquids	Category 3 – (H226)

Classification according to Directive 67/548/EEC or 1999/45/EC

*Full text of R-Phrases: See Section 16*

Hazard Symbols

FA – Flammable

N – Dangerous for the Environment

R-Code(s)

R10;R43;R51/53;R65

Label Elements



Signal Word:

Danger

Hazard Statements:

H304 – May be fatal if swallowed and enters airways

H315 – Causes skin irritation  
 H317 – May cause an allergic skin reaction  
 H411 – Toxic to aquatic life with long lasting effects  
 H226 – Flammable liquid and vapour

Precautionary Statements – EU (§28, 1272/2008)

P280 – Wear eye protection/face protection  
 P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTRE or doctor  
 P331 – Do NOT induce vomiting  
 P210 – Keep away from heat/sparks/open flames/hot surfaces – No Smoking

Other Hazards

No information available

---

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

---

Substances

Chemical Name	EC No	CAS No	Weight - %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
1,8-Epoxy-p-menthane	207-431-5	470-82-6	70-90	FL;R10 Xi;R43	Skin Sens. 1 (H317) Flam. Liq. 3 (H226)	No data available
Limonene	227-813-5	5989-27-5	2-10	FL;R10 Xn;R65 Xi;R38 R43 N;R50-53	Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
p-Mentha-1,4-diene	202-794-6	99-85-4	2-10	FL;R10 Xn;R65	Asp. Tox. 1 (H304) Flam. Liq. 3 (H226)	No data available
Alpha Pinene	201-291-9	80-56-8	2-5	FL;R10 Xn;R65 Xi;R38 R43	Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Flam. Liq. 3 (H226)	No data available
Para cymene	202-796-7	99-87-6	2-5	FL;R10 Xn;R65 N;R51/53	Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226)	No data available
Beta Pinene	204-872-5	127-91-3	1-2.5	FL;R10 Xn;R65 Xi;R38 R43	Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Flam. Liq. 3 (H226)	No data available

Full text of R-Phrases: See Section 16

Full text of H- and EUH-Phrases: See Section 16

---

## **4 FIRST - AID MEASURES**

---

### DESCRIPTION OF FIRST AID MEASURES

#### SKIN CONTACT

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes

#### EYE CONTACT

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor

#### INHALATION

Remove to fresh air

#### INGESTION

Clean mouth with water. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

#### SYMPTOMS

Skin disorders. May cause an allergic skin reaction

See Section 11: TOXICOLOGICAL INFORMATION

### INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

#### NOTE TO DOCTORS

Treat symptomatically

---

## **5 FIRE-FIGHTING MEASURES**

---

### EXTINGUISHING MEDIA

#### SUITABLE EXTINGUISHING MEDIA

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### UNSUITABLE EXTINGUISHING MEDIA

Water

### SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

#### SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Thermal decomposition can lead to release of irritating and toxic gases and vapours

#### ADVICE FOR FIREFIGHTERS

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required

---

## **6 ACCIDENTAL RELEASE MEASURES**

---

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### PERSONAL PRECAUTIONS

Ensure adequate ventilation, especially in confined areas

#### FOR EMERGENCY RESPONDERS

Use personal protection recommended in Section 8

#### ENVIRONMENTAL PRECAUTIONS

See Section 12 for additional ecological information

### METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

#### METHODS FOR CONTAINMENT

Prevent further leakage or spillage if safe to do so

#### METHODS FOR CLEANING UP

Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal

## REFERENCE TO OTHER SECTIONS

See Section 8 for more information. See Section 13 for more information

---

**7 HANDLING AND STORAGE**


---

## PRECAUTIONS FOR SAFE HANDLING

## ADVICE ON SAFE HANDLING

Ensure adequate ventilation, especially in confined areas. Use personal protection recommended in Section 8.

## GENERAL HYGIENE CONSIDERATIONS

Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke

## CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

## STORAGE CONDITIONS

Keep container tightly closed in a dry well-ventilated place

## SPECIFIC END USE(S)

No information available

---

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**


---

## CONTROL PARAMETERS

## EXPOSURE LIMITS

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Limonene 5989-27-5	-	-	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	-	TWA: 5ppm TWA: 28 mg/m <sup>3</sup> H*
p-Mentha-1, 4- diene 99-85-4	-	-	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	-	-
Alpha Pinene 80-56-8	-	-	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 113 mg/m <sup>3</sup>	-
Para cymene 99-87-6	-	-	TWA: 150 mg/m <sup>3</sup> TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	-	-
Beta Pinene 127-91-3	-	-	TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 113 mg/m <sup>3</sup>	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Limonene 5989-27-5	-	-	-	TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 50 ppm STEL: 280 mg/m <sup>3</sup>	-
Alpha Pinene 80-56-8	-	TWA: 20 ppm	-	-	-
Para cymene 99-87-6	-	-	-	-	TWA: 25 ppm TWA: 135 mg/m <sup>3</sup>
Beta Pinene 127-91-3	-	TWA: 20 ppm	-	-	-
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Limonene 5989-27-5	-	TWA: 7ppm TWA: 40	-	TWA: 25 ppm TWA: 140 mg/m <sup>3</sup>	-

		mg/m <sup>3</sup> STEL: 14 ppm STEL: 80 mg/m <sup>3</sup>		STEL: 25 ppm STEL: 140 mg/m <sup>3</sup>	
Alpha Pinene 80-56-8	-	-	-	TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 25 ppm STEL: 140 mg/m <sup>3</sup> H*	-
Beta Pinene 127-91-3	-	-	-	TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 25 ppm STEL: 140 mg/m <sup>3</sup>	

**DERIVED NO EFFECT LEVEL (DNEL)**

No information available

**PREDICTED NO EFFECT CONCENTRATION (PNEC)**

No information available

**EXPOSURE CONTROLS****ENGINEERING CONTROLS**

Ensure adequate ventilation, especially in confined areas

**PERSONAL PROTECTIVE EQUIPMENT****EYE/FACE PROTECTION**

Avoid contact with eyes. Wear safety glasses with side shields (or goggles)

**HAND PROTECTION**

Wear protective gloves

**SKIN AND BODY PROTECTION**

Wear suitable protective clothing

**RESPIRATORY PROTECTION**

None under normal use conditions

**GENERAL HYGIENE CONSIDERATIONS**

Regular cleaning of equipment, work area and clothing is recommended

**ENVIRONMENTAL EXPOSURE CONTROLS**

Do not allow into any sewer, on the ground or into any body of water. Local authorities should be advised if significant spillages cannot be contained.

---

**9 PHYSICAL AND CHEMICAL PROPERTIES**


---

Information on basic physical and chemical properties

Colour: Colourless or light green

Physical state: Liquid

Odour: No information available

Odour threshold: No information available

Property Values

pH: No information available

Melting point/freezing point: No information available

Boiling point/boiling range: No information available

Flash point: 49°C/120.2°F

Evaporation rate: No information available

Flammability (solid, gas): No information available

Flammability Limit in Air

Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapour pressure:	No information available
Vapour density:	No information available
Specific gravity:	No information available
Water solubility:	No information available
Solubility(ies):	No information available
Partition coefficient:	No information available
Autoignition temperature:	No information available
Decomposition temperature:	No information available
Kinematic viscosity:	No information available
Dynamic viscosity:	No information available
Explosive properties:	No information available
Oxidising properties:	No information available
<u>Other Information</u>	
Softening point:	No information available
Molecular weight:	No information available
VOC Content (%):	No information available
Density:	0.915 @ 20°C
Bulk density:	No information available

---

## 10 STABILITY AND REACTIVITY

---

### REACTIVITY

No data available

### CHEMICAL STABILITY

Stable under recommended storage conditions

### POSSIBILITY OF HAZARDOUS REACTIONS

None under normal processing

### CONDITIONS TO AVOID

Heat, flames and sparks. Exposure to air or moisture over prolonged periods

### INCOMPATIBLE MATERIALS

No information available

### HAZARDOUS DECOMPOSITION PRODUCTS

None under normal use conditions

---

## 11 TOXICOLOGICAL INFORMATION

---

### INFORMATION ON TOXICOLOGICAL EFFECTS

#### ACUTE TOXICITY

##### INHALATION

No known effect

##### EYE CONTACT

No known effect

##### SKIN CONTACT

No known effect

##### INGESTION

Potential for aspiration if swallowed

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,8-Epoxy-p-menthane	= 2480 mg/kg (Rat)		
Limonene		>5 g/kg (Rabbit)	
p-Mentha-1, 4-diene	= 3650 mg/kg (Rat)		
Alpha Pinene	= 3700 mg/kg (Rat)	>5000 mg/kg (Rat)	
Para cymene	3669 mg/kg (Rat)		

#### NUMERICAL MEASURES OF TOXICITY – PRODUCT INFORMATION

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (Oral) 2,751.00

#### UNKNOWN ACUTE TOXICITY

##### ACUTE ORAL TOXICITY

0% of the mixture consists of ingredient(s) of unknown acute oral toxicity

##### ACUTE DERMAL TOXICITY

0% of the mixture consists of ingredient(s) of unknown acute dermal toxicity

##### ACUTE INHALATION TOXICITY – GAS

0% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

##### ACUTE INHALATION TOXICITY – VAPOUR

0% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)

##### ACUTE INHALATION TOXICITY – DUST/MIST

0% of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### SYMPTOMS

Skin disorders. May cause an allergic skin reaction

## 12 ECOLOGICAL INFORMATION

#### TOXICITY

##### ECOTOXICITY

Toxic to aquatic life with long lasting effects. May cause long lasting harmful effects to aquatic life

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
Limonene	-	0.619 – 0.796: 96h Pimephales promelas mg/L LC50 flow-through 35: 96h Oncorhynchus mykiss mg/L LC50	-

#### PERSISTENCE AND DEGRADABILITY

No information available

#### BIOACCUMULATIVE POTENTIAL

Chemical Name	Partition coefficient
Alpha Pinene	4.1
Para cymene	4.1

#### MOBILITY IN SOIL

No information available

#### RESULTS OF PBT AND vPvB ASSESSMENT

No information available

#### OTHER ADVERSE EFFECTS

---

### 13 DISPOSAL CONSIDERATIONS

---

**WASTE TREATMENT METHODS****WASTE FROM RESIDUES/UNUSUED PRODUCTS**

Disposal should be in accordance with applicable regional, national and local laws and regulations

**CONTAMINATED PACKAGING**

Improper disposal or reuse of this container may be dangerous and illegal

---

### 14 TRANSPORT INFORMATION

---

IMDG

UN/ID No	1169
Proper Shipping Name	EXTRACTS, AROMATIC, LIQUID
Hazard Class	3
Packing Group	III
Marine Pollutant	This material meets the definition of a marine pollutant
Environmental Hazard	Yes
Special Provisions	None
Environmental Hazard	Yes

ADR/RID

UN/ID No	1169
Proper Shipping Name	EXTRACTS, AROMATIC, LIQUID
Hazard Class	3
Packing Group	III
Environmental Hazard	Yes
Special Provisions	None

IATA

UN/ID No	1169
Proper Shipping Name	EXTRACTS, AROMATIC, LIQUID
Hazard Class	3
Packing Group	III
Environmental Hazard	Yes
Special Provisions	None

---

### 15 REGULATORY INFORMATION

---

**SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE**

Chemical Name	French RG number	Title
Limonene 5989-27-5	RG 84	-

Water Hazard Class (WGK) Not determined

**EUROPEAN UNION**

Take note of directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable



## INTERNATIONAL INVENTORIES

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS – European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS – Japan Existing and New Chemical Substances

IECSC – China Inventory of Existing Chemical Substances

KECL – Korean Existing and Evaluated Chemical Substances

PICCS – Philippines Inventory of Chemicals and Chemical Substances

AICS – Australian Inventory of Chemical Substances

## CHEMICAL SAFETY ASSESSMENT

No information available

---

**16 OTHER INFORMATION**


---

## KEY OR LEGEND TO ABBREVIATIONS AND ACRONYMS USED IN THE SAFETY DATA SHEET

Full text of R-Phrases referred to under Sections 2 and 3

R10 – Flammable

R38 – Irritating to skin

R43 – May cause sensitisation by skin contact

R65 – Harmful: May cause lung damage if swallowed

R50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R51/53 – Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under Section 3

H304 – May be fatal if swallowed and enters airways

H315 – Causes skin irritation

H317 – May cause an allergic skin reaction

H226 – Flammable liquid and vapour

H400 – Very toxic to aquatic life

H410 – Very toxic to aquatic life with long lasting effects

H411 – Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

DISCLAIMER

The foregoing data has been compiled for safety information only and does not form part of any selling specification. Information contained in this SDS is to the best of JML's knowledge correct at the time of publication. However, no guarantee is given to its accuracy, reliability or completeness and the information may not be valid if the product is used in combination with other materials or process. It is the responsibility of the user to ensure that the product which they have selected is entirely suitable for their purpose under their conditions of use and in compliance with current regulatory requirements.